

work Code: 003-22-000029

M. A. R. 57 (Rule 116)

No. E

Measurement Book

Serial No.

Name of work

From

To

Date 27/07/2022

Name of Contractor of nature of Agency

Est G8t RS. 200.00 Lakhs

Date of commencement of work

Date 1	Full description, etc., of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	<u>Name of work:-</u> IMPROVEMENTS AND ASPHALTING TO CHIKKADINNE AND SURROUNDING AREAS IN ATTUR WARD NO 03 OF YELAHANKA SATELLITE TOWN SUB DIVISION. <u>Name of Contractor and full Address:-</u> Sri. RAMESH Y.B S/o Babu - Varaj, no-34, Sri Durga parameshwari Nilaya, Doot Bazaar Road Yelahanka, Bangalore - 560064. ① Removing and refixing stone slabs of drains and pointing in cm(1:3) and as per the directions of the engineer-in-charge of the works.						

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
						Quantity vide E-Bill: 852.23 m ² @RS. 116.75 ✓ 99498.00	
	② Earthwork excavation by manual means for roads drains & similar works in ordinary soil excavated surface levelled and sides neatly dressed the disposed earth to be levelled neatly after breaking of clods Complete as per Specification.					Quantity vide E-Bill: -1501.74 m ³ @RS. 214.63 ✓ 3,22,320.00	
	③ Providing one line dressing to granite stone slab/granite stone masonry as per Specification and as per the directions of the engineer in charge of the work.						

Serial No.
Name of work
Name of Contractor of n
Date of commencement

Date	Full description
1	
	④ Providing @ 220 Kgs Coke oven - cladding on by vibration labour. n etc. etc

No. E

585440

Name of work From To

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		Quantity vide E-Bill :- 89.91 m ²					89.678.00
		CRS. 997.41					
	④ Providing and laying plain cement concrete of mix 1:3:6 with opc @ 220 Kgs with Gusted form and down size graded granite metal coarse aggregates @ 0.89 cum and fine aggregates @ 0.46 cum, in foundation mechanically mixed, placed in foundation and compacted by vibration including curing for 14 days including cost of all materials labour, form curing, form works, scaffolding and centering complete as per specifications and as per the directions of the engineer-in-						

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	-change of the work.						
	⑤ Providing laying plain/reinforced concrete for side drains using m20 nominal mix concrete with opc at 300gms with 20mm and down size granite metal coarse aggregates at 0.69 cum and fine aggregates at 0.43 cum machine mixed well compacted for wall and bottom including centering & shuttering cost of materials less of machinery curing etc complete as per specifications.					Quantity vide E-Bill:- 198.19 m ³ CRS. 6637.23	13,15,417.00
						Quantity vide E-Bill:- 415.80 m ³ CRS 7579.74	31,51,668.00

Serial No.
Name of work
Name of Contractor of nature
Date of commencement of work

Date 1	Full description, 2
	⑥ Providing straightening ing wherever ing members stage & shall of machinery engineer - in
	⑦ Providing a

M. A. R. 57 (Rule 116)
Measurement Book

No. E

585441

Serial No.

Name of work From To

Name of Contractor of nature of Agency

Date of commencement of work

Date	Full description, etc, of work	Dimensions			Contents	Reference to last Measurement
		Number	Length	Breadth		
1	2	3	4	5	6	8
	⑥ Providing 10mm bars Fe 500 steel reinforcement for RCC work including straightening cutting bending hooking placing in position lapping and/or welding wherever required tying with binding wire and anchoring to the adjoining members wherever necessary Complete as per design (Laps, hooks and wastage shall not be measured and paid) cost of materials, labour, transport of machinery Complete as per Specification and as per the directions of the engineer-in-charge of the work. Quantity vide E-Bill:- 24.88 Tonne 2405243.00 CRS. 96673.74 2405543.00					
	⑦ Providing and tying pre cast covering slab made out of cc 1:2:4					

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	with 100mm thick and finishing cutting including form work curing including cost of all materials labour hire charges of machinery loading and unloading, lead and lift, transportation etc complete and as per the directions of the engineer-in-charge of the work.						
						Quantity vide E-Bill:-1103.39m ² CRS. 2451.51	2704.96.00
	⑧ Providing and fixing pre cast covering slab 250 mm thick made out of cc 1:2:4 and jelly 20mm down size with steel reinforcement including form work, curing including cost of all materials, labour hire charges of machinery loading, unloading lead and lift transportation etc complete and as per the directions of the						

Serial No.
Name of work
Name of Contractor
Date of commencement

Date 1	Full description, etc, of work
	Original
	⑨ Excavation including slopes section as per of the

M. A. R. 57 (Rule 116)
Measurement Book

No. E 585442

Serial No.

Name of work From To

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Engineer-in-charge of the work. Quantity side E-Bill:- 54.72 m² @ RS. 5683.48 311,001.00 ⑨ Excavation for roadwork in all types of Soil by mechanical means including cutting and loading to tipper, trimming bottom and side slopes in accordance with requirements of lines, grades and cross sections and transportation with a load of 1.00 km and complete as per specifications and directions of the engineer-in-charge of the work.						

MEASUREMENT BOOK

Date 1	Full description, etc. of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
						Quantity vide E-Bill: 208.70 m ³ CRS. 75.00	15653.00
	(10) Compaction of original ground by mechanical means including filling in depressions occurring during rolling including cost of all labour items complete as per Specifications and as per the directions of engineer-in-charge of the work.					Quantity vide E-Bill: 481.98 m ² CRS. 6.67	3215.00
	(11) Construction of embankment with material Gravel, minimum 14.5 RRB m300-53 Construction of embankment with approved material Gravel minimum with all lifts and loads,						

Serial No.
Name of work
Name of Contractor of work
Date of commencement

Date 1	Full description 2
	transporting to tions. as up to 12
	Above
	(12) Constr

M. A. R. 57 (Rule 116)
Measurement Book

No. E 585443

Serial No.

Name of work

From

To

Name of Contractor of nature of Agency

Date of commencement of work

Date 1	Full description, etc, of work 2	Dimensions			Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6	
	transporting to site, spreading, grading to required slope and Compaction to meet requirement table 300-2 Complete as per specifications and as per the directions of the engineer in charge of the work up to 125% of qty:-					
	Quantity vide E-Bill:-				115.60m ³	53624.00
					@RS. 463.87	
	Above 125% of qty:-					
	Quantity vide E-Bill:-				103.40m ³	47964.00
					@RS. 463.87	
	Construction of granular sub base Grading-v or sub base					

(12)

MEASUREMENT BOOK

Date 1	Full description, etc., of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Drainage layer by providing coarse graded aggregate of granite / trap / basalt material on prepared surface and spreading in uniform layers with motor grader and compacting with vibratory power roller to achieve the 98% proctor density completely per specifications and as per the direction of the engineer in charge of the work.						
	Qty up to 125% :-	quantity vide				E-Bill: 43.35 m ³ CRS. 2708.20	117,401.00
	Qty above 125% :-	quantity vide				E-Bill: 28.95 m ³ CRS. 2708.20	78,397.00

Serial No.
Name of work
Name of Contractor of
Date of commencement

Date 1	Full description
	(13) Providing gates of ... including ... in uniform prepared ... the des ... - ctions

M. A. R. 57 (Rule 116)
Measurement Book

No. E 585441

Serial No.

Name of work From To

Name of Contractor of nature of Agency

Date of commencement of work

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	⑬ Providing laying, Spreading and Compacting Crushed Stone aggregates of granite / trap / basalt to wet mix concrete specification including pre mixing the material with water at one in machine - ical mix plant carriage of mixed materials by tipper to site, laying in uniform layers with power in sub base / base course on well prepared surface and compacting with vibratory roller to achieve the desired density complete as per specifications and as per the direction of the engineer in charge of the work. Quantity vide E-Bill:- 318.39 m³ @ Rs. 2762.44 = 879,534.00						

MEASUREMENT BOOK

Date 1	Full description, etc. of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	⑭ Cleaning the existing worn Road Surface with wire brush -ing of binding materials and other foreign matter with wire brushes and small picks sweeping with brooms or soft brushes and finally dusting with old gunny bags and bar on compressed air to remove bituminous treatment including cost of all materials labour, Hoon of machinery completely per the directions of the engineer in charge of the work. Quantity vide E-Bill: 1628.95 m² CRS. 23-35 38036.00						
	⑮ Providing and applying primer coat with SS bituminous emulsion on prepared surface of granular base such as worn including cleaning of road surface and spraying primer						

Serial No.
Name of work
Name of Contractor of
Date of commencement

Date 1	Full description
	at the Specific of the ⑯ Providing Authd bituminous ing to wheeled

M. A. R. 57 (Rule 116)
Measurement Book

No. E

585445

Serial No.

Name of work From To

Name of Contractor of nature of Agency

Date of commencement of work

Date 1	Full description, etc, of work 2	Dimensions			Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6	
	at the rate of 0.60 Kg / Sqm using mechanical means Complete or Specification and 8 per The direction of the engineer-in-charge of the work. Quantity vide E-53.11:- 2903.53 m ² @ Rs. 50.77 1,47,413.00					
	(C) Providing and laying dense graded bituminous macadam using cuthed aggregates of Specified grading premixed with VG30 grade bituminous binder and transporting to hot mix to work site by ing to the revised grade level and alignment using with smooth wheeled, vibratory and tandem roller to achieve the desired Compaction					

MEASUREMENT BOOK

Date 1	Full description, etc. of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	in all respects Complete as per Specifications clause 505 of MORTH recommending 40/60 TPH Capacity Hump with mechanical power Gr-II (50mm to 75mm) with 4.5% y6-30 bitumens and as per the direction of the engineer in charge of the work.						
						Quantity vide E-Bill: - 145.18 m ³ CRS. 11410.92	1656.599.00
	(17) Cleaning the existing black topped surface with broom & stiff brushes and finally dusting with old gunny bags and/or compressed air to receive bituminous treatment unloading cost of all materials labour Hump of machinery Complete as per Spec- ifications and as per the directions of the engineer in charge of the work.						

Serial No.
Name of work
Name of Contractor
Date of commencement

Date 1	Full description, etc. of work
	(18) Provision of the - (inner face) facing work.

M. A. R. 57 (Rule 116)
Measurement Book

No. E

585446

Serial No.

Name of work

From

To

Name of Contractor of nature of Agency

Date of commencement of work

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		Quantity vide E - Bill: 4173.66m ²				C.R.S. 5.56	23,206.00
	(18) Providing and applying tack coat using 80/100 grade bitumen (v610) on the prepared black topped surfaces at 2.5 kg per 10 Sqm. heating bitumen in boiler fitted with spray set (excluding cleaning of road surface) including cost of all materials, labour Horn complete as per Specification and as per the directions of the engineer in charge of the work.					Quantity vide E - Bill: 4658.27m ²	C.R.S. 17.31 80,635.00

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	(1) Providing and laying bituminous concrete using crushed aggregates of specified grading prepared with bituminous binder and filter, transporting the hot mix to work site laying with Paver finisher to the required grade level and observation rolling with smooth wheeled vibratory and tandem rollers to achieve the desired compaction in all respects complete as per specifications.					Quantity vide E-Bill: -186.33 m ³ @ Rs. 13305.62 = 24,79,250.00	
	(2) Road marking with Hot Applied Thermoplastic Compound with Reflecting glass beads on bituminous surface / concrete surface, providing and laying of hot applied Thermoplastic Compound 2.5mm thick including reflecting glass beads at 250gms per						

Serial No.
Name of work
Name of Contractor of
Date of commencement

Date	Full description
1	2
	Spoon area beads of level w specifi cati of the u
	(2) Loading a Kamkar / engineer

M. A. R. 57 (Rule 116)
Measurement Book

No. E

585447

Serial No.

Name of work From To

Name of Contractor of nature of Agency.....

Date of commencement of work.....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Spm area. Thickness of 2.5mm is exclusive of surface applied glass beads as per IRC 35 Standards specified. The finished surface to be level uniform and free from streaks and holes complete as per specifications and as per the directions of the engineer-in-charge of the work.					Quantity vide E - Bill: 224.72 m ² CRS. 557.56 ✓ 1,23,947.00	
②	Loading and unloading of stone boulder/stone aggregates/ Sand/ Kanker/ medium (Tipper 14 m ³) and as per the directions of the engineer in-charge of the work.						

MEASUREMENT BOOK

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
		Quantity vide E-Bill: - 1710.45 m ³				CRS 85.39	1,46,056.00
	(22) Cost of Haulage including loading and unloading 18T load and lead 10 km = 180 tkm and as per the direction of the engineer in charge of the work.						
		Quantity vide E-Bill: - 2189.37 tkm				CRS. 121.16	2,65,265.00
	(E) Providing and laying in position Reinforced Cement Concrete for all sub structures of buildings, irrigation works, Sub structure works of bridges, Dam works & other parallel works from 0.5m to 3.5m height. The granulated / basket crushed graded coarse aggregate						

Serial No.
 Name of work
 Name of Contractor of nature
 Date of commencement of work

Date 1	Full description, etc 2
	- gates and for super plastic - ding weep h materials o labour ch The work.
	(E-2) Providing a out of 0.20 high and 45

M. A. R. 57 (Rule 116)
Measurement Book

No. E

585448

Serial No.

Name of work From To

Name of Contractor of nature of Agency

Date of commencement of work

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	- gates and fine aggregates as per relevant IS Codes machine mixed with super plasticizers, laid in layers well compacted using needle vibrators, providing weep holes wherever necessary, including all leads, lifts. Cost of all materials of quality. Confirming to the requirements to relevant IS Codes labour shall be as per specifications and directions of the engineer in charge of the work.					Quantity vide E- Bill:- 12.76 m ³ CRS. 6784.93	86563.00
(E-2)	Providing and fixing pre cast solid cement concrete kerb stones made out of 1:2:4 with top and bottom width 114 mm and 165 mm respectively, 400 mm high and 450 mm in length finished with cm 1:3 plastering and finishing						

MEASUREMENT							
Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	cutting including formwork, curing including cost of materials, labour charges of machinery, loading unloading, lead and lift transportation etc. Complete as per Specification and directions of the engineer in charge of the work.						
						Quantity vide E-Bill: -1418.00 m ³ CRS. 531.84	7,54,154.00
(E-3)	painting two coats on new concrete surface painting two coats after filling the surface with synthetic enamel paint in all shades on new plastered concrete surfaces and as per the direction of the engineer in charge of the work.					Quantity vide E-Bill. 248.96 m ² CRS. 98.08	24,419.00

Date	Full description
1	2
	1) The w 2) The c 3) Thorec

585449

Date of commencement of work.....

ಸಹಾಯಕ ಅಧ್ಯಕ್ಷರಾದ ಬಿ.ಬಿ.ಎಂ.ಕೆ. ಬೆಂಗಳೂರು-೧೬
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ.

[illegible]

Name of work

Name of Contractor of n

Date of commencement

Full description

 - Asph
 - c.c
 - c c
 - c c
 - Fzoi



M. A. R. 57 (Rule 116)
Measurement Book

No. E

585450

Serial No.

Name of work From To

Name of Contractor of nature of Agency

Date of commencement of work

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	<u>INDEX :-</u> □ - Asphalt Roads □ - c.c wheel □ - c.c Drain □ - c.c Drain & Kurb □ - Existing Roads						

ಶಾಂತನಗರ ಸಾರ್ವಜನಿಕ ಕಾರ್ಯಯೋಜನೆ
ಯೋಜನಾ ಸಚಿವರ ಸಚಿವಾಲಯ,
ಜಿ.ಪಿ.ಎಂ.ಸಿ. ಬೆಂಗಳೂರು-100



M. A. R. 57 (Rule 116)
Measurement Book

No. E

585450

Serial No.

Name of work From To

Name of Contractor of nature of Agency

Date of commencement of work

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	<u>INDEX :-</u> ☐ - Asphalt Roads ☐ - c.c culvert ☐ - c.c Drain ☐ - c.c Drain & Kerb ☐ - Existing Roads						

ಶಹಾಬುಲಾಹಿ ಮುಖ್ಯಮಂತ್ರಿಗಳ ಕಛೇರಿ
ಯಲಹಂಕರ ಉಪನಗರ ಉಪವಿಭಾಗ.
ಹಿ.ಹಿ.ಎಂ.ಕಿ. ಬೆಂಗಳೂರು-108

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	3	4	5	6	7	8	
1	1 st and 2 nd Final Bill					Job Code : 003-22-000029 SER NO: 93/22-23 dt : 17/1/2023	
	Gross Amt = Rs 2,05,56,000 = 00 ~~Penalty~~ ~~POP~~ = Rs 2400 = 00 CCST = Rs 1,83,536 = 00 SGST = Rs 1,83,536 = 00 IT = Rs 2,05,560 = 00 LC = Rs 2,05,560 = 00 CBF = Rs 20,556 = 00 Audit leaving Royalty = Rs 1,60,224 = 00 T.D. = Rs 3,10,000 = 00 Net Amt = Rs 12,71,372 = 00					Audited & Admitted for Rs. 2,05,56,000 = 00 1,92,84,628 = 00 by Cheque 12,71,372 = 00 by Adjustment and Rs. Accs. Supdt. Reliance Division BMP Exe. Engineer Reliance Division BMP	

Serial No.
Name of work
Name of Contractor
Date of commencement

Date
1